



QQGQ2.E482187

Power Supplies, Information Technology Equipment Including Electrical Business Equipment - Component

Page Bottom

Power Supplies, Information Technology Equipment Including Electrical Business Equipment - Component

[See General Information for Power Supplies, Information Technology Equipment Including Electrical Business Equipment - Component](#)

FIDUS POWER LTD

E482187

Mars House Units 3-4

Calleva Park

Aldermaston, RG7 8LA UNITED KINGDOM

Model No.	Rated Input			Max Output							
	Volts	Hz	SC	V	A	VA	OC	SP	EP	FC	GC
ALL15012-YY [a]	-	-	-	-	-	-	-	-	-	-	-
ALL15024-YY [a]	-	-	-	-	-	-	-	-	-	-	-
ALL15036-YY [a]	-	-	-	-	-	-	-	-	-	-	-
ALL15048-YY [a]	-	-	-	-	-	-	-	-	-	-	-
ALL15054-YY [a]	-	-	-	-	-	-	-	-	-	-	-
ALL24012-YY[a]	-	-	-	-	-	-	-	-	-	-	-
ALL24024-YY [a]	-	-	-	-	-	-	-	-	-	-	-
ALL24036-YY [a]	-	-	-	-	-	-	-	-	-	-	-
ALL24048-YY [a]	-	-	-	-	-	-	-	-	-	-	-
ALL24054-YY [a]	-	-	-	-	-	-	-	-	-	-	-
AMA0203S, QAMA0203S, AMA0203, QAMA0203[*r]											
	100-277ac	47-63	0	3.3dc	600mA	2	3	60950-1, 2nd Ed + AM1	20B	0	2
AMA0205, QAMA0205, AMA0205S, QAMA0205S[*r]											
	100-277ac	47-63	0	5.0dc	400mA	2	3	60950-1, 2nd Ed + AM1	20B	0	2
AMA0209S, QAMA0209S, AMA0209, QAMA0209[*r]											
	100-277ac	47-63	0	9.0dc	222mA	2	3	60950-1, 2nd Ed + AM1	20B	0	2
AMA0212S, QAMA0212S, AMA0212, QAMA0212[*r]											
	100-277ac	47-63	0	12.0dc	167mA	2	3	60950-1, 2nd Ed + AM1	20B	0	2
AMA0215S, QAMA0215S, AMA0215, QAMA0215[*r]											
	100-277ac	47-63	0	15.0dc	133mA	2	3	60950-1, 2nd Ed + AM1	20B	0	2
AMA0224S, QAMA0224S, AMA0224, QAMA0224[*r]											
	100-277ac	47-63	0	24.0dc	83mA	2	3	60950-1, 2nd Ed + AM1	20B	0	2
AMA0403, QAMA0403, AMA0405, QAMA0405, AMA0408, QAMA0408, AMA0409, QAMA0409, AMA0412, QAMA0412, AMA0414, QAMA0414, AMA0415, QAMA0415, AMA0424, QAMA0424, AMA04D01, QAMA04D01, AMA04D02, QAMA04D02, AMA04D03, QAMA04D03,[*r]											
	100-240ac	47-63	0	24dc	1.2	4	3	60950-1	20B	0	2
AMA0403W, QAMA0403W	100-277ac	47-63	0	3.31	2.32	6.56	3	60950-1	20B	0	2
AMA0405W, QAMA0405W[*r]	100-277ac	47-63	0	5	0.8	-	3	60950-1	20B	0	2
	100-277ac	47-63	0	5	0.5	-	3	60950-1	20B	0	2

AMA0408W, QAMA0408W[*r]												
AMA0409W, QAMA0409W[*r]	100-277ac	47-63	0	9	0.444	-	3	60950-1	20B	0	2	
AMA0412W, QAMA0412W[*r]	100-277ac	47-63	0	12	0.333	-	3	60950-1	20B	0	2	
AMA0414W, QAMA0414W[*r]	100-277ac	47-63	0	14	0.286	-	3	60950-1	20B	0	2	
AMA0415W, QAMA0415W[*r]	100-277ac	47-63	0	15	0.267	-	3	60950-1	20B	0	2	
AMA0424W, QAMA0424W	100-277ac	47-63	0	24.2	0.3	7.24	3	60950-1	20B	0	2	
AMA04D01W, QAMA04D01W [*r]	100-277ac	47-63	0	5	0.6	-	3	60950-1	20B	0	2	
				3.3	0.15	-	-					
AMA04D02W, QAMA04D02W [*r]	100-277ac	47-63	0	8	0.375	-	3	60950-1	20B	0	2	
				5	0.12	-	3					
AMA04D03W, QAMA04D03W	100-277ac	47-63	0	11.91	0.6	7.05	3	60950-1	20B	0	2	
				5.9	0.8	2.85	3					
AMA0503, AMA0503	120-240ac	50/60	0	3.153	2	6.306	3	60950-1, 2nd Ed+AM1+AM2	20B	0	2	
AMA0505, QAMA0505[*r]	120-240ac	50/60	0	0	5	0.15	3	60950-1, 2nd Ed+AM1+AM2	20B	0	2	
AMA0512, QAMA0512[*r]	120-240ac	50/60	0	0	12	0.15	3	60950-1, 2nd Ed+AM1+AM2	20B	0	2	
AMA0515, QAMA0515[*r]	120-240ac	50/60	0	0	15	0.15	3	60950-1, 2nd Ed+AM1+AM2	20B	0	2	
AMA0524, QAMA0524	120-240ac	50/60	0	23.96	0.483	11.57	3	60950-1, 2nd Ed+AM1+AM2	20B	0	2	
AMA1003, QAMA1003, AMA2003, QAMA2003[*r]												
	100-240ac	47-63	0	3.3dc	3.6	11.88	3	60950-1, 2nd	20B	0	2	
AMA1505, QAMA1505, AMA1505T, QAMA1505T, AMA1505N, QAMA1505N[*r]												
	100-240ac	50/60	0	3.75-5.4dc	3	15	3	60950-1, 2nd Ed + AM1	20B	0	0	
AMA1512, QAMA1512, AMA1512T, QAMA1512T, AMA1512N, QAMA1512N[*r]												
	100-240ac	50/60	0	9-12dc	1.25	15	3	60950-1, 2nd Ed + AM1	20B	0	0	
AMA1515, QAMA1515, AMA1515T, QAMA1515T, AMA1515N, QAMA1515N[*r]												
	100-240ac	50/60	0	11.2-15dc	1	15	3	60950-1, 2nd Ed + AM1	20B	0	0	
AMA1524, QAMA1524, AMA1524T, QAMA1524T, AMA1524N, QAMA1524N[*r]												
	100-240ac	50/60	0	18-24dc	0.625	15	3	60950-1, 2nd Ed + AM1	20B	0	0	
AMA2005, QAMA2005, AMA1005, QAMA1005												
	100-240ac	47-63	0	4.983dc	5.008	24.18	3	60950-1, 2nd	20B	0	2	
AMA2012, QAMA2012, AMA1012, QAMA1012[*r]												
	100-240ac	47-63	0	12dc	1.6	20	3	60950-1, 2nd	20B	0	2	
AMA2015, QAMA2015, AMA1015, QAMA1015[*r]												
	100-240ac	47-63	0	15dc	1.33	20	3	60950-1, 2nd	20B	0	2	
AMA2024, QAMA2024, AMA1024, QAMA1024												
	100-240ac	47-63	0	23.86dc	1.312	31.22	3	60950-1, 2nd	20B	0	2	
AMA4003, QAMA4003[*r]	100-240ac	47-63	0	3.3	8	-	3	60950-1	20B	0	0	
AMA4003S2[*r]	100-240ac	47-63	0	3.3	8	-	3		20B	0	0	

								60950-1, 2nd Ed+AM1+AM2			
AMA4005, QAMA4005	100-240ac	47-63	0	5.45	14.1	68.6	3	60950-1	20B	0	0
AMA4005S2	100-240ac	47-63	0	5.45	14.1	68.6	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
AMA4009, QAMA4009[*r]	100-240ac	47-63	0	9	4.444	-	3	60950-1	20B	0	0
AMA4009S2[*r]	100-240ac	47-63	0	9	4.444	-	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
AMA4012, QAMA4012[*r]	100-240ac	47-63	0	12	3.333	-	3	60950-1	20B	0	0
AMA4012S2[*r]	100-240ac	47-63	0	12	3.333	-	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
AMA4015, QAMA4015[*r]	100-240ac	47-63	0	15	2.666	-	3	60950-1	20B	0	0
AMA4015S2[*r]	100-240ac	47-63	0	15	2.666	-	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
AMA4024, QAMA4024	100-240ac	47-63	0	24.02	2.5	60	3	60950-1	20B	0	0
AMA4024S2	100-240ac	47-63	0	24.02	2.5	60	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
AMA40D01, QAMA40D01[*r]	100-240ac	47-63	0	5	4	-	3	60950-1	20B	0	0
				-5	4	-	3				
AMA40D01S2[*r]	100-240ac	47-63	0	5	4	-	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
				-5	4	-	3				
AMA40D02, QAMA40D02[*r]	100-240ac	47-63	0	12	1.666	-	3	60950-1	20B	0	0
				-12	1.666	-	3				
AMA40D02S2[*r]	100-240ac	47-63	0	12	1.666	-	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
				-12	1.666	-	3				
AMA40D03, QAMA40D03[*r]	100-240ac	47-63	0	15	1.333	-	3	60950-1	20B	0	0
				-15	1.333	-	3				
AMA40D03S2[*r]	100-240ac	47-63	0	15	1.333	-	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
				-15	1.333	-	3				
AMA40D04, QAMA40D04[*r]	100-240ac	47-63	0	5	5	-	3	60950-1	20B	0	0
				12	12.5	-	3				
AMA40D04S2[*r]	100-240ac	47-63	0	5	5	-	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
				12	12.5	-	3				
AMA40D05, QAMA40D05	100-240ac	47-63	0	5.57	10.6	51.1	3	60950-1	20B	0	0
				35.13	2.1	43.6	3				
AMA40D05S2	100-240ac	47-63	0	5.57	10.6	51.1	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
				35.13	2.1	43.6	3				
AMA40T01	100-240ac	47-63	0	5.95	10.01	49.3	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
				15.56	4.4	41.9	3				
				15.14	4.5	42.2	3				
AMA40T01S2	100-240ac	47-63	0	5.95	10.01	49.3	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
				15.56	4.4	41.9	3				

				15.14	4.5	42.2	3				
AMA40T02[*r]	100-240ac	47-63	0	5	5	-	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
				15	0.5	-	3				
				-15	0.5	-	3				
AMA40T02S2[*r]	100-240ac	47-63	0	5	5	-	3	60950-1, 2nd Ed+AM1+AM2	20B	0	0
				15	0.5	-	3				
				-15	0.5	-	3				
AMK0705[*r]	100-240Vac	50-60	0	5dc	1400mA	7.56	3	60950-1, 2nd Ed + AM1	20B	0	0
AMK0712[*r]	100-240Vac	50-60	0	12dc	583mA	7.2875	3	60950-1, 2nd Ed + AM1	20B	0	0
AMK0715[*r]	100-240Vac	50-60	0	15dc	466mA	7.3395	3	60950-1, 2nd Ed + AM1	20B	0	0
AMK0724[*r]	100-240Vac	50-60	0	24dc	292mA	7.3584	3	60950-1, 2nd Ed + AM1	20B	0	0
AMK1505	100-240ac	47-63	0	5.25dc	4.5	22.41	3	60950-1, 2nd Ed+AM1+AM2	20	0	2
				25.21dc	1	24.63	3				
AMK1512	100-240ac	47-63	0	5.25dc	4.5	22.41	3	60950-1, 2nd Ed+AM1+AM2	20	0	2
				25.21dc	1	24.63	3				
AMK1515	100-240ac	47-63	0	5.25dc	4.5	22.41	3	60950-1, 2nd Ed+AM1+AM2	20	0	2
				25.21dc	1	24.63	3				
AMK1524	100-240ac	47-63	0	5.25dc	4.5	22.41	3	60950-1, 2nd Ed+AM1+AM2	20	0	2
				25.21dc	1	24.63	3				
SUF12003[*r]	100-240ac	47-63	0	5	22	-	3	60950-1	20B	0	1
SUF12003B[*r]	100-240ac	47-63	0	5	22	-	3	60950-1	20B	0	1
SUF12005[*r]	100-240ac	47-63	0	6	22	-	3	60950-1	20B	0	1
SUF12005B[*r]	100-240ac	47-63	0	6	22	-	3	60950-1	20B	0	1
SUF12007[*r]	100-240ac	47-63	0	9	19.16	-	3	60950-1	20B	0	1
SUF12007B[*r]	100-240ac	47-63	0	9	19.16	-	3	60950-1	20B	0	1
SUF12009[*r]	100-240ac	47-63	0	11	13.33	-	3	60950-1	20B	0	1
SUF12009B[*r]	100-240ac	47-63	0	11	13.33	-	3	60950-1	20B	0	1
SUF12012[*r]	100-240ac	47-63	0	13	10.9	-	3	60950-1	20B	0	1
SUF12012B[*r]	100-240ac	47-63	0	13	10.9	-	3	60950-1	20B	0	1
SUF12015[*r]	100-240ac	47-63	0	13.16	9.23	-	3	60950-1	20B	0	1
SUF12015B[*r]	100-240ac	47-63	0	13.16	9.23	-	3	60950-1	20B	0	1
SUF12018[*r]	100-240ac	47-63	0	16.21	7.5	-	3	60950-1	20B	0	1
SUF12018B[*r]	100-240ac	47-63	0	16.21	7.5	-	3	60950-1	20B	0	1
SUF12024[*r]	100-240ac	47-63	0	27	5.71	-	3	60950-1 2nd	20B	0	1
SUF12024B[*r]	100-240ac	47-63	0	27	5.71	-	3	60950-1 2nd	20B	0	1
SUF12028[*r]	100-240ac	47-63	0	27.33	4.44	-	3	60950-1 2nd	20B	0	1
SUF12028B[*r]	100-240ac	47-63	0	27.33	4.44	-	3	60950-1 2nd	20B	0	1
SUF12036[*r]	100-240ac	47-63	0	33.4	3.63	-	3	60950-1 2nd	20B	0	1
SUF12036B[*r]	100-240ac	47-63	0	33.4	3.63	-	3	60950-1 2nd	20B	0	1
SUF12048	100-240ac	47-63	0	47.31	3.159	126.84	3	60950-1 2nd	20B	0	1
SUF12048B	100-240ac	47-63	0	47.31	3.159	126.84	3	60950-1 2nd	20B	0	1
SUF120D01[*r]	100-240ac	47-63	0	3.3	15	-	3	60950-1 2nd	20B	0	1

				12	6	-	3				
SUF120D01B[*r]	100-240ac	47-63	0	3.3	15	-	3	60950-1 2nd	20B	0	1
				12	6	-	3				
SUF120D02[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				12	6	-	3				
SUF120D02B[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				12	6	-	3				
SUF120D03[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				15	6	-	3				
SUF120D03B[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				15	6	-	3				
SUF120D04[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				24	6	-	3				
SUF120D04B[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				24	6	-	3				
SUF120D05[*r]	100-240ac	47-63	0	3.3	15	-	3	60950-1 2nd	20B	0	1
				5	6	-	3				
SUF120D05B[*r]	100-240ac	47-63	0	3.3	15	-	3	60950-1 2nd	20B	0	1
				5	6	-	3				
SUF120D06[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				-24	2	-	3				
SUF120D06B[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				-24	2	-	3				
SUF120D07	100-240ac	47-63	0	27.24	7.663	160.29	3	60950-12nd	20B	0	1
				5.179	3.415	15.939	3				
SUF120D07B	100-240ac	47-63	0	27.24	7.663	160.29	3	60950-12nd	20B	0	1
				5.179	3.415	15.939	3				
SUF120T01[*r]	100-240ac	47-63	0	3.3	15	-	3	60950-1 2nd	20B	0	1
				12	6	-	3				
				-12	0.8	-	3				
SUF120T01B[*r]	100-240ac	47-63	0	3.3	15	-	3	60950-1 2nd	20B	0	1
				12	6	-	3				
				-12	0.8	-	3				
SUF120T02[*r]	100-240ac	47-63	0	3.3	15	-	3	60950-1 2nd	20B	0	1
				12	6	-	3				
				12	0.8	-	3				
SUF120T02B[*r]	100-240ac	47-63	0	3.3	15	-	3	60950-1 2nd	20B	0	1
				12	6	-	3				
				12	0.8	-	3				
SUF120T03[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				12	6	-	3				
				-5	0.8	-	3				
SUF120T03B[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				12	6	-	3				
				-5	0.8	-	3				
SUF120T04	120-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				12	6	-	3				

				5	0.8	-	3				
SUF120T04B	120-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				12	6	-	3				
				5	0.8	-	3				
SUF120T05[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				12	6	-	3				
				-12	0.8	-	3				
SUF120T05B[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				12	6	-	3				
				-12	0.8	-	3				
SUF120T06[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				12	6	-	3				
				12	0.8	-	3				
SUF120T06B[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				12	6	-	3				
				12	0.8	-	3				
SUF120T07[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				15	6	-	3				
				-15	0.8	-	3				
SUF120T07B[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				15	6	-	3				
				-15	0.8	-	3				
SUF120T08[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				15	6	-	3				
				15	0.8	-	3				
SUF120T08B[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				15	6	-	3				
				15	0.8	-	3				
SUF120T09	100-240ac	47-63	0	23.78	1.819	36.79	3	60950-1 2nd	20B	0	1
				33.49	10.93	171.86	3				
				5.053	39.22	129.03	3				
SUF120T09B	100-240ac	47-63	0	23.78	1.819	36.79	3	60950-1 2nd	20B	0	1
				33.49	10.93	171.86	3				
				5.053	39.22	129.03	3				
SUF120T10[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				24	3.5	-	3				
				24	0.8	-	3				
SUF120T10B[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				24	3.5	-	3				
				24	0.8	-	3				
SUF120T11[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				24	3.5	-	3				
				-12	0.8	-	3				
SUF120T11B[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1
				24	3.5	-	3				
				-12	0.8	-	3				
SUF120T12[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1

				24	3.5	-	3					
				12	0.8	-	3					
SUF120T12B[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1	
				24	3.5	-	3					
				12	0.8	-	3					
SUF120T13[*r]	100-240ac	47-63	0	3.3	15	-	3	60950-1 2nd	20B	0	1	
				12	6	-	3					
				-5	0.8	-	3					
SUF120T13B[*r]	100-240ac	47-63	0	3.3	15	-	3	60950-1 2nd	20B	0	1	
				12	6	-	3					
				-5	0.8	-	3					
SUF120T14[*r]	100-240ac	47-63	0	3.3	15	-	3	60950-1 2nd	20B	0	1	
				12	6	-	3					
				5	0.8	-	3					
SUF120T14B[*r]	100-240ac	47-63	0	3.3	15	-	3	60950-1 2nd	20B	0	1	
				12	6	-	3					
				5	0.8	-	3					
SUF120T15[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1	
				10	6	-	3					
				-10	1	-	3					
SUF120T15B[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1	
				10	6	-	3					
				-10	1	-	3					
SUF120T16[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1	
				10	6	-	3					
				10	1	-	3					
SUF120T16B[*r]	100-240ac	47-63	0	5	15	-	3	60950-1 2nd	20B	0	1	
				10	6	-	3					
				10	1	-	3					
SUF120T17[*r]	100-240ac	47-63	0	3.3	15	-	3	60950-1 2nd	20B	0	1	
				5	6	-	3					
				12	1	-	3					
SUF120T17B[*r]	100-240ac	47-63	0	3.3	15	-	3	60950-1 2nd	20B	0	1	
				5	6	-	3					
				12	1	-	3					
SUF120T18[*r]	100-240ac	47-63	0	3.3	15	-	3	60950-1 2nd	20B	0	1	
				5	6	-	3					
				12	1	-	3					
SUF120T18B[*r]	100-240ac	47-63	0	3.3	15	-	3	60950-1 2nd	20B	0	1	
				5	6	-	3					
				12	1	-	3					
TCF6505ZZZ (#)	100-240ac	50-60	0	5.12dc	9.78	45.19	3	60950-1, 2nd Ed + AM1	20B	0	1	
TCF6512ZZZ (#)	100-240ac	50-60	0	56.9dc	6.15	87.36	3	60950-1, 2nd Ed + AM1	20B	0	1	
TCF6515ZZZ (#)	100-240ac	50-60	0	56.9dc	6.15	87.36	3	60950-1, 2nd Ed + AM1	20B	0	1	
TCF6519ZZZ (#)	100-240ac	50-60	0	56.9dc	6.15	87.36	3	60950-1, 2nd Ed + AM1	20B	0	1	

TCF6524ZZZ (#)	100-240ac	50-60	0	56.9dc	6.15	87.36	3	60950-1, 2nd Ed + AM1	20B	0	1
TCF6528ZZZ (#)	100-240ac	50-60	0	56.9dc	6.15	87.36	3	60950-1, 2nd Ed + AM1	20B	0	1
TCF6530ZZZ (#)	100-240ac	50-60	0	56.9dc	6.15	87.36	3	60950-1, 2nd Ed + AM1	20B	0	1
TCF6532ZZZ (#)	100-240ac	50-60	0	56.9dc	6.15	87.36	3	60950-1, 2nd Ed + AM1	20B	0	1
TCF6536ZZZ (#)	100-240ac	50-60	0	56.9dc	6.15	87.36	3	60950-1, 2nd Ed + AM1	20B	0	1
TCF6542ZZZ (#)	100-240ac	50-60	0	56.9dc	6.15	87.36	3	60950-1, 2nd Ed + AM1	20B	0	1
TCF6548ZZZ (#)	100-240ac	50-60	0	56.9dc	6.15	87.36	3	60950-1, 2nd Ed + AM1	20B	0	1
TCF6556ZZZ (#)	100-240ac	50-60	0	56.9dc	6.15	87.36	3	60950-1, 2nd Ed + AM1	20B	0	1
TLL12012ZZZ (#)	100-240ac	50-60	0	15	8	120	3	60950-1	20B	0	1
TLL12015ZZZ (#) (*r)	100-240ac	50-60	0	18	6.67	120	3	60950-1	20B	0	1
TLL12018ZZZ (#) (*r)	100-240ac	50-60	0	18	6.67	120	3	60950-1	20B	0	1
TLL12019ZZZ (#) (*r)	100-240ac	50-60	0	19	6.32	120	3	60950-1	20B	0	1
TLL12024ZZZ (#)	100-240ac	50-60	0	23.91	5	142.91	3	60950-1	20B	0	1
TLL12030ZZZ (#)	100/240Vac	50/60	0	30.03	6.6	131.985	3	60950-1	20B	0	1
TLL12036ZZZ (#)	100/240Vac	50/60	0	36	3.79	131.134	3	60950-1	20B	0	1
TLL12048ZZZ (#)	100/240Vac	50/60	0	47.9	2.8	131.32	3	60950-1	20B	0	1
VKL28012TZZ (#)	100-240ac	50-60	0	12dc	25.75	301.56	3	60950-1, 2nd Ed + AM1	20B	0	0
				5dc	2.34	8.31	3				
VKL28024ZZZ (#)	100-240ac	50-60	0	24dc	12.97	306.66	3	60950-1, 2nd Ed + AM1	20B	0	0
				5dc	2.26	8.17	3				
VKL28028ZZZ (#)	100-240ac	50-60	0	28dc	11.56	318.73	3	60950-1, 2nd Ed + AM1	20B	0	0
				5dc	2.84	10.83	3				
VKL28048ZZZ (#)	100-240ac	50-60	0	48dc	7.47	356.48	3	60950-1, 2nd Ed + AM1	20B	0	0
				5dc	2.76	9.34	3				
VKL28054ZZZ (#)	100-240ac	50-60	0	54dc	7.00	372.37	3	60950-1, 2nd Ed + AM1	20B	0	0
				5dc	2.99	9.93	3				

[*r] - Output values are rated.

(#) - Z may be an alphanumeric character, ?-?, or blank

[a] - Where YY = 65 or 67

Marking: Company name and model designation on the product or on the smallest unit container in which the product is packaged.

Last Updated on 2017-02-06

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2017 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2017 UL LLC".